	Application No.	Applicant(s)
Notice of Allowability	09/887,695	OBARA ET AL.
	Examiner	Art Unit
	Melvyn J. Andrews	1742
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to Amdt, TD and Decl 15 December 2003.		
2. 🔀 The allowed claim(s) is/are <u>1-9, 12 -17 and 20-25</u> .		
3. 🔀 The drawings filed on <u>24 September 2001</u> are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a)		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☑ Interview Summary Paper No./Mail Da 08), 7. ☑ Examiner's Amend	ite <u>3102004</u> .

Application/Control Number: 09/887,695

Art Unit: 1742

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Ms Anna Vishev on 10 March 2004.

The application has been amended as follows:

In Claim 1 delete line 6 entirely and replace with -- particles of 10 µm or less in diameter, having titanium and oxygen concentrations of 10 ppm or -- .

In Claim 7 delete line 12 entirely and replace with - - μ m or less in diameter, having titanium and oxygen concentrations of 10 ppm or less respectively, having - - .

Amend page 1, first full paragraph of the Specification as follows:

- This application is a continuation of U.S. Patent Application
Serial No.09/608.260, filed June 30, 2000 (now abandoned, which
was in turn a continuation-in-part of U.S. Patent Application Serial
No. 08/768,423, filed December 18, 1996 (now abandoned), and
claims all rights of priority thereto. - - .

The following is an examiner's statement of reasons for allowance: the rejections based on the patents to Murakami et al (U.S Patent No. 5,030,017),

Application/Control Number: 09/887,695

Art Unit: 1742

EPO 592 195 and Obara et al (U.S.Patent No. 5,843,369) are overcome by the T.D and Declaration under 37 CFR 1.132 as set forth in the Remarks.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melvyn J. Andrews whose telephone number is (571)272-1239. The examiner can normally be reached on 8:00A.M. to 4:30 P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Roy V King can be reached on (571)272-1244. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 09/887,695

Art Unit: 1742

mja March 10, 2004 melyn andrews MELVYN ANDREWS PRIMARY EXAMINER